CSP-2017-1_MT - Ag Land_Crop Perennial

Soil Erosion

Sheet and Rill Erosion

Planning Criteria	Planning Criteria Met
Screening level: Permanent ground cover > 90% and slope < 10%. Assessment level: The water erosion rate is <= T.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Irrigation water use is managed to reduce irrigation induced soil erosion.	Yes ☐ No ☐
The orchard or vineyard floor is covered by protective plants during critical erosion periods. <state provides critical erosion period(s) list; may be different within different regions of the same state>	Yes ☐ No ☐
Row orientation is across the slope or on a contour. (Applies nursery crops, orchards and vineyards)	Yes ☐ No ☐

Wind Erosion

Planning Criteria	Planning Criteria Met
Screening level: Permanent ground cover > 90% and slope < 10%. Assessment level: The wind erosion rate is <= T.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The orchard or vineyard floor is covered by protective plants during critical erosion periods. <state provides critical erosion period(s) list; may be different within different regions of the same state>	Yes ☐ No ☐
Tree and shrub rows are placed perpendicular, or as close as possible, to prevailing winds.	Yes ☐ No ☐
Existing windbreak(s)/shelterbelt(s) function has been improved or restored.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Ephemeral Gully Erosion

Planning Criteria	Planning Criteria Met
Screening level: Ephemeral gullies are not occuring. Assessment level: Conservation practices and managements are in place to prevent or control ephemeral gullies.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
All temporary or permanent rills and gullies are stabilized. All areas expected to have high erosion rates are stable.	Yes ☐ No ☐

Classic Gully Erosion

Planning Criteria	Planning Criteria Met
Screening level: Classic gullies are not present. Assessment level: Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
All temporary or permanent rills and gullies are stabilized. All areas expected to have high erosion rates are stable.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Streambank, Shoreline, Water Conveyance Channels

Planning Criteria	Planning Criteria Met
Screening level: Streams, shoreline or channels are not adjacent to site. Assessment level: For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes, AND if bank erosion is present, it is beyond the client's control or commensurate with normal geomorphological processes, AND for streambanks, SVAP2 bank condition element score > 5.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Excluding all fundamentally unstable, natural geomorphic streambanks/shorelines, all streambanks/shorelines on the operation show few signs of erosion or bank failure. Each is stable and protected with natural materials.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Soil Quality Degradation

Organic Matter Depletion

Planning Criteria	Planning Criteria Met
Screening level: Permanent ground cover > 80%. Assessment level: The SCI is > 0.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
No-till or reduced tillage/planting methods are used on all crops grown in alley middles.	Yes ☐ No ☐
The orchard or vineyard floor is covered by protective plants for the majority of the year.	Yes ☐ No ☐

Compaction

Planning Criteria	Planning Criteria Met
Screening level: Soil compaction is not a problem AND activities do not cause soil compaction problems. Assessment level: Compaction is managed to meet client's production and management objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Soil moisture is tested to reduce soil compaction. Typical methods include moisture-by-feel or moisture meters.	Yes ☐ No ☐
The crop rotation includes crops or cover crops with deep roots that extend through the soil profile to break up compacted layers. <see state lists>	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Concentration of Salts and other Chemicals

Planning Criteria	Planning Criteria Met
Screening level: Activities do not cause salinity/sodicity problems. Assessment level: Conservation practices and managements are in place to mitigate on-site effects.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
An irrigation water management plan is followed. Sufficient water is applied to maintain a proper salt balance in the soil profile.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Excess Water

Runoff and Flooding and Ponding

Planning Criteria	Planning Criteria Met
Screening level: Ponding or flooding not a problem AND activities do not cause ponding/flooding problems. Assessment level: Excess water is managed to meet client's objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Excessive water runoff, flooding, and water ponding are not concerns; or measures are applied such as grassed waterways, terraces, diversions, filter strips to reduce excessive runoff; or if flooding is a concern crops and field activities are managed within the seasonal flooding periods; or where ponding is a concern land leveling or shallow surface drains prevent ponding of water that limits crop production.	Yes ☐ No ☐
Land smoothing operations were done to fix issues caused by flooding or ponding or runoff that damaged crops.	Yes ☐ No ☐

Drifted Snow

Planning Criteria	Planning Criteria Met
Screening level: Drifted snow does not cause a problem. Assessment level: Excess water is managed to meet client's objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Drifted snow is not a concern in this climate or measures are applied to avoid snow drifts on crops that may be harmed.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Insufficient Water

Inefficient Use of Irrigation Water

Planning Criteria	Planning Criteria Met
Screening level: PLU is not irrigated. Assessment level: The irrigation system components and management result in a Farm Irrigation Rating Index > 60 AND meets applicable State in-stream flow and lake and pond water levels requirements.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
An irrigation water management plan is followed that: -meets the crop's needs, while maximizing irrigation water efficiency, -schedules water application based on soil moisture monitoring and/or evapotranspiration monitoring, -measures and records the amount of water you use to irrigate as it comes onto the farm and goes to each field, AND -the system's distribution uniformity has been evaluated and necessary changes were made.	Yes ☐ No ☐
Cover crops are killed timely to conserve soil moisture for the next crop.	Yes ☐ No ☐

Inefficient Moisture Management

Planning Criteria	Planning Criteria Met
Screening level: Moisture management is not a problem AND activities do not cause inefficient moisture management problems. Assessment level: Runoff and evapotranspiration levels are minimized to meet client's management objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Cover crops are killed timely to conserve soil moisture for the next crop.	Yes ☐ No ☐
The existing plant communitty was selected to efficiently utilize available moisture.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Water Quality Degradation

Pesticides in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Pest control chemicals are not applied. Assessment level: Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND conservation practices and managements are in place to minimize surface water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
A site-specific mixture of prevention, avoidance, monitoring, and suppression (PAMS) strategies are applied. If pesticide application is required, an environmental risk screening tool is used (such as WIN-PST or similar LGU approval tool) and application rates and timing are compliant with the label and the conservation plan.	Yes ☐ No ☐

Pesticides in Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Pest control chemicals are not applied. Assessment level: Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND conservation practices and managements are in place to minimize ground water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
A site-specific mixture of prevention, avoidance, monitoring, and suppression (PAMS) strategies are applied. If pesticide application is required, an environmental risk screening tool is used (such as WIN-PST or similar LGU approval tool) and application rates and timing are compliant with the label and the conservation plan.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Nutrients in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Organic or inorganic nutrients are not applied AND the PLU is not grazed. Assessment level: Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND conservation practices and managements are in place to minimize surface water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Livestock access to stream is controlled OR limited to small watering or crossing areas.	Yes ☐ No ☐
If nutrients are applied, a nutrient budget is used to determine all application rates, including: - Realistic yield goals, - Nutrient uptake requirements, and - Available nutrient accounting for each of the following: (a) N, P, K from representative soil tests (<= 3yrs), (b) Soil organic matter mineralization, (c) Legumes in rotation, (d) Previous applications of manure and other organic based materials, (e) Planned post-harvest residual soil test levels, (f) Available nutrient analysis for each nutrient source, and (g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement. All state specific application setbacks are maintained for all nutrient applications.	Yes ☐ No ☐
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater, AND - have few places where concentrated runoff flows through.	Yes ☐ No ☐
Filter strips that are at least 30 feet wide are established and maintained.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Nutrients in Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Organic or inorganic nutrients are not applied AND PLU is not grazed. Assessment level: Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND conservation practices and managements are in place to minimize ground water impacts.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
If nutrients are applied, a nutrient budget is used to determine all application rates, including: - Realistic yield goals, - Nutrient uptake requirements, and - Available nutrient accounting for each of the following: (a) N, P, K from representative soil tests (<= 3yrs), (b) Soil organic matter mineralization, (c) Legumes in rotation, (d) Previous applications of manure and other organic based materials, (e) Planned post-harvest residual soil test levels, (f) Available nutrient analysis for each nutrient source, and (g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement. All state specific application setbacks are maintained for all nutrient applications.	Yes ☐ No ☐

Salts in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Excess salt is not a problem AND activities do not contribute to excess salt problem. Assessment level: Salt concentrations are managed to mitigate off-site transport to surface waters.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The concentration and likely harmfulness of salt is managed to limit impact on desired plants.	Yes ☐ No ☐
An irrigation water management plan is followed. Sufficient water is applied to maintain a proper salt balance in the soil profile.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Excess Pathogens and Chemicals from Manure, Bio-solids or Compost Applications in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Potential sources of pathogens or pharmaceuticals are not applied on the land. Assessment level: Organic materials are applied, stored, and/or handled to mitigate negative impacts to surface water sources.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Livestock access to streams is limited to short periods of time and small areas.	Yes ☐ No ☐
Filter strips that are at least 30 feet wide are established and maintained.	Yes ☐ No ☐
Manure and other biosolids are applied using a nutrient budget to determine all application rates, including: - Realistic yield goals, - Nutrient uptake requirements, and - Available nutrient accounting for each of the following: (a) N, P, K from representative soil tests (<= 3yrs), (b) Soil organic matter mineralization, (c) Legumes in rotation, (d) Avoiding manure applications when soils are frozen, snow covered, or saturated, (e) Planned post-harvest residual soil test levels, (f) Available nutrient analysis for each nutrient source, and (g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement. All state specific application setbacks are maintained for all nutrient applications. Minimum setbacks are maintained from drainageways, wells, ditched, streams, rivers, and water bodies.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Excess Pathogens and Chemicals from Manure, Bio-solids or Compost Applications in Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Potential sources of pathogens or pharmaceuticals are not applied on the land. Assessment level: Organic materials are applied, stored, and/or handled to mitigate negative impacts to groundwater sources.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Manure and other biosolids are applied using a nutrient budget to determine all application rates, including:- Realistic yield goals,- Nutrient uptake requirements, and- Available nutrient accounting for each of the following:(a) N, P, K from representative soil tests (<= 3yrs),(b) Soil organic matter mineralization,(c) Legumes in rotation,(d) Avoiding manure applications when soils are frozen, snow covered, or saturated,(e) Planned post-harvest residual soil test levels,(f) Available nutrient analysis for each nutrient source, and(g) Available nutrient uptake efficiencies from planned application rate, source, method, timing and placement.All state specific application setbacks are maintained for all nutrient applications.Minimum setbacks are maintained from drainageways, wells, ditched, streams, rivers, and water bodies.	Yes ☐ No ☐

Petroleum, Heavy Metal and Other Pollutants Transported to Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants. Assessment level: Petroleum, heavy metals or other potential pollutants are stored and handled to avoid runoff to surface water.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The fuel storage area and tank is located: - above the 100-year floodplain, - a minimum of 100 feet from any river, stream, ditch, pond, lake, sinkhole, wetland, or water well, and - within a stable place designed to provide secondary containment if the primary means were to fail.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Petroleum, Heavy Metal and Other Pollutants Transported to Ground Water

Planning Criteria	Planning Criteria Met
Screening level: Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants. Assessment level: Petroleum, heavy metals or other potential pollutants are stored and handled to avoid runoff to groundwater.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The fuel storage area and tank is located: - above the 100-year floodplain, - a minimum of 100 feet from any river, stream, ditch, pond, lake, sinkhole, wetland, or water well, and - within a stable place designed to provide secondary containment if the primary means were to fail.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Excessive Sediment in Surface Water

Planning Criteria	Planning Criteria Met
Screening level: Permanent ground cover > 90% and slope < 10% AND classic gullies are not present AND streams or shoreline are not on or adjacent to site. Assessment level: Upslope treatment and buffer practices address concentrated flows to water bodies AND the SVAP2 - bank condition >= 5 AND the livestock and vehicle water crossings are stable AND The water erosion rate is <= T AND wind erosion rate is <= T.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Established filter strips are at least 20 feet wide and maintained.	Yes ☐ No ☐
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater, AND - have few places where concentrated runoff flows through.	Yes ☐ No ☐
Tree and shrub rows are placed on or near contours.	Yes ☐ No ☐
All temporary or permanent rills and gullies are stabilized.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Elevated Water Temperature

Planning Criteria	Planning Criteria Met
Screening level: Water courses on or adjacent to the site are not designated by a State Agency as a temperature impairment OR water course temperature is not a client concern. Assessment level: The SVAP2 - riparian area quality element score is >= 5 AND the SVAP2 - riparian area quantity quality element score is >= 5 AND the SVAP2 - canopy cover element score is >= 6, OR existing conservation practices are in place to address water temperature.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
More than 50 percent of the water surface is shaded on the length of the stream/river you control.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Air Quality Impacts

Emissions of Ozone Precursors

Planning Criteria	Planning Criteria Met
Screening level: Operations are not present that produce ozone precursor emissions. Ozone precursor producing activities are: Engines (combustion source), Pesticide application, Burning, CAFO/manure management, Fertilization (manure/commercial). Assessment level: Ozone precursor emmissions are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Ozone precursor producing activities are minimized by using one or more of the following activities: Reducing combustible engines exhaust via TIER 4 engine, applying IPM principles for pesticide applications, injection or incorporation of manure, nitrogen fertilizer incorportation or use of a nitrogen stabilizer.	Yes ☐ No ☐

Emission of Greenhouse Gases (GHGs)

Planning Criteria	Planning Criteria Met
Screening level: Activities are not present that produce GHGs emissions. GHG producing activities are: Fertilization(manure/commercial), CAFO/manure management, Engines (combustion source), Tillage, AND GHGs are not regulated in this planning area. Assessment level: Greenhouse gas emmissions are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
If Nitrogen is applied, Nitrogen is applied as close as possible to crop uptake needs at the recommended rates.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Objectionable Odors

Planning Criteria	Planning Criteria Met
Screening level: Activities are not present that contribute to odor nuisance air quality conditions. Odor nuisance producing activities are: Pesticide application, CAFO/manure management, Composting is conducted, AND odor sources are not regulated in this planning area AND episodes or complaints of odor nuisance have not occurred. Assessment level: Odors are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Manure is applied and immediately incorporated or applied when wind direction is away from human occupied areas.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Degraded Plant Condition

Undesirable Plant Productivity and Health

Planning Criteria	Planning Criteria Met
Screening level: Plant production and health is not a client concern. Assessment level: Plants are adapted to the site, meet production goals and do not negatively impact other resources AND plant damage from wind erosion is below Crop Damage Tolerance levels.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Plants and crops are adapted to the soil and site conditions and produce average yield levels for the county in typical years.	Yes ☐ No ☐

Excessive Plant Pest Pressure

Planning Criteria	Planning Criteria Met
Screening level: Plant productivity is not limited from pest pressure. Assessment level: Pest damage to plants are below economic or environmental thresholds or client-identified criteria AND plant pests, including noxious and invasive species are managed to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Weeds, insects, and diseases do not limit crop production.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Wildfire Hazard, Excessive Biomass Accumulation

Planning Criteria	Planning Criteria Met
Screening level: Wildfire hazards is not a concern. Assessment level: Fuel loads and fuel ladders are managed to provide defensible space and meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Fire is not a typical hazard for crops and/or fire protection measure are applied such as firebreaks or activities to reduce the fuel loads around or within the crop fields.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Fish and Wildlife - Inadequate Habitat

Inadequate Habitat - Food

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - fish habitat complexity element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR food is available in quality and extent to support habitat requirements for the species of interest.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Designated areas are planted as food and habitat for pollinators/beneficial insects. For example, planted to nectar and pollen producing plants and protected from disruption--chemical, biological, or mechanical.	Yes ☐ No ☐
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, AND - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater.	Yes ☐ No ☐
Plant growth and cover is managed to develop and maintain habitat to help chosen wildlife species. <see State Wildlife Action Plan>	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Inadequate Habitat - Cover/Shelter

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - barriers to movement element score is >= 7 AND the SVAP2 - fish habitat complexity element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR cover is of available quality and extent to support habitat requirements for the species of interest.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Designated areas are planted as food and habitat for pollinators/beneficial insects. For example, planted to nectar and pollen producing plants and protected from disruption--chemical, biological, or mechanical.	Yes ☐ No ☐
Livestock access to stream is controlled OR limited to small watering or crossing areas	Yes ☐ No ☐
Forage harvests cover patterns and minimum plant heights are planned for a desired wildlife species. <See species list State Wildlife Action Plan>	Yes ☐ No ☐
All stream banks show few signs of erosion or bank failure. Each is stable and protected with natural materials.	Yes ☐ No ☐
Plant growth and cover is managed to develop and maintain habitat to help chosen wildlife species. <see State Wildlife Action Plan>	Yes ☐ No ☐
Internally drained features such as playas or potholes are left undrained and uncropped.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Inadequate Habitat - Water

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR water is available in quality and extent to support habitat requirements for the species of interest.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Changes to water flow for irrigation or otherwise are limited to not alter the stream's usual flow.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Inadequate Habitat - Habitat Continuity (Space)

Planning Criteria	Planning Criteria Met
Assessment level: The WHSI rating is >= 0.5 AND (when surface stream present) the SVAP2 - barriers to movement element score is >= 7 AND the SVAP2 - aquatic invertebrate habitat element score is >= 7, OR conservation practices and managements are in place that meet or exceed species or guild-specific habitat model thresholds, OR The connectivity of habitat components are adequate to support stable populations of targeted species.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Connectivity between food resources and cover and shelter is provided for the chosen wildlife species. <see State Wildlife Action Plan>	Yes ☐ No ☐
Designated areas are planted as habitat for pollinators/beneficial insects. Non-cropped area protected from disruption during nesting and foraging periods--chemical, biological, or mechanical.	Yes ☐ No ☐
The land adjacent to a stream, river, or other waterbody on the side or sides you control does: - have diverse, natural plant cover typical to that along streams in your area, AND - extend from the stream bank/shoreline for a distance of 35 feet or (if applicable) the minimum State buffer-width requirement, whichever is greater.	Yes ☐ No ☐
In-stream structures (dam, diversion structure, bridge, culvert, low-water stream crossing, etc.) allow for the upstream/downstream movement of fish and other aquatic animals throughout most of the year.	Yes ☐ No ☐
People, vehicles, equipment, or livestock are only moved across a stream/river at a bridge, culvert, or stabilized ford crossing(s). Travel across the stream/river beyond these crossings is controlled.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Livestock Production Limitation

Inadequate Feed and Forage

Planning Criteria	Planning Criteria Met
Assessment level: When the land use has a "grazed" modifer, livestock forage, roughage and supplemental nutritional requirements addressed.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
The existing feed/forage quantity/quality meet the livestock needs and goals.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Inefficient Energy Use

Equipment and Facilities

Planning Criteria	Planning Criteria Met
Screening level: Client is not interested in improving equipment and facilities energy efficiency. Assessment level: Major componenets of a USDA approved energy audit have been implemented that address equipment and facilities to meet client objectives OR On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Recommendations/components of an energy audit have been applied. The audit addressed equipment and facilities on the farm. For example, energy loss from lighting, drying, refrigeration, heating, or building insulation have been improved.	Yes ☐ No ☐
Renewable energy systems are applied. For example, solar, wind, geothermal, or hydro.	Yes ☐ No ☐

CSP-2017-1_MT - Ag Land_Crop Perennial

Farming/Ranching Practices and Field Operations

Planning Criteria	Planning Criteria Met
Screening level: Client is not interested in improving equipment and facilities energy efficiency. Assessment level: Major componenets of a USDA approved energy audit have been implemented that address equipment and facilities to meet client objectives OR On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives.	Yes ☐ No ☐

Evaluation Tests	Evaluation Test Met
Recommendations/components of an energy audit have been applied. The audit addressed field operations on the farm. For example, energy loss from driven equipment, irrigation, or pumping have been improved.	Yes ☐ No ☐
An irrigation water management plan is followed that: -meets the crop's needs, while maximizing irrigation water efficiency, -schedules water application based on soil moisture monitoring and/or evapotranspiration monitoring, -measures and records the amount of water you use to irrigate as it comes onto the farm and goes to each field, AND -the system's distribution uniformity has been evaluated and necessary changes were made.	Yes ☐ No ☐